

### The Sailor's Stinkpot.

The revolution in power boats began with sailors. Men with little tolerance for things that don't really work well at sea.

During a rare moment's rest at the '58 America's Cup Trials, some of them

spied a power boat that skimmed through ocean swells off Newport while other boats were slowed to a walk. She cushioned her way through head seas instead of slamming down on them. She kept a straight course in following seas instead of wallowing wildly.

One sailor did something. He talked to the amazing stinkpot's designer, another sailor. Two years later, the Bertram deep-V hull was born. And made history by taking the roughest Miami-Nassau power race ever run. In record time.

Boating became a whole new ball game.




Vim and Easterner square off in the '58 Trials. Among Vim's now-legendary crew was a sailor named Bertram. He kept a close eye on Easterner's tender, an experimental power boat design by Ray Hunt. It did things a power boat had never done. And that's how Bertram began.

Our first model, the classic 31, is still back-ordered. And everything since has been built to its standards. Overbuilt for strength. With husky hardware in the right place. Immaculate wiring. Hand-laid hulls. Glistening finish. Sea-tested.

Today the soft, dry ride and agility and quality of a Bertram are taken for granted. And often imitated. But it is still true that nobody builds them like Bertram. Because we start with the sailor's concern for function, and with a professional's contempt for anything mickey-mouse. So our boats work well at sea. For a long time.

Bertram. The sailor's stinkpot. And proud of it.

## BAHA MAR



You asked for a bigger Bahia Mar. Who are we to say no? You asked for a 31-foot Bertram at a painlessly low price. So we got generous. About price. About the generous galley. The private, enclosed stand-up head. Extremely roomy cockpit with more than enough space for fishing equipment, chairs, lounging around. Speed and performance, plus economy; thanks to two 225 HP Chryslers. You want a lot of Bertram for very little money? Look into the Bahia Mar 31.

### Specifications

•		
Length		30'7"
Beam		11'2"
Draft, propeller		
Height-above water line		
to windshield top		8'
Headroom		
Sleeping accommodations		
Fuel capacity		170 gal.
Fresh water capacity		. 18 gal.
Cockpit area	14	17 sq. ft.
Weight-approx. gas mo-		
	Cruising	Speeds
Power	Range	to
2 225 II D CI 1		


Power	Range	to
2-225 H.P. Chrysler	. 210	35
2-300 H.P. Chrysler	. 210	37
2-325 H.P. Chrysler	. 220	38
2-140 H.P. G.M. Diesel	. 370	28
2-170 H.P. Cummins Diese	1 350	30

### Standard Equipment

Screened cabin side windows with drapes Hydraulic clutches • Stainless steel shafts Fuel gauges, electrical • Electric horn-dual trumpet • Galley with sink and icebox • Automatic electric bilge pump . Vapor proof master battery switches • 12 volt system with 2 alternators • Batteries, 12 volt 75 ampere hours (2) (gas only); 12 volt 135 ampere hours (2), (140 H.P. Diesel); 12 volt 200 ampere hours (2), (170 & 216 H.P. Diesel) Electrical control panel with circuit breakers Marine toilet, manual • Twin bunks with polyfoam cushions . Interior lighting . International navigation lights . Opening engine boxes with maximum accessibility to engines and sound insulation . Manganese bronze struts with cutless rubber bearings . Aeroquip armored hose and copper fuel lines . Manganese bronze rudders . Opening cabin windows Opening safety glass windshield . Thru deck chocks for dock lines aft, 2 . Cleats, 2 . Anchor, with anchor line, nylon 1/2"x150' • Dock lines, 2 nylon • Burgee staff with burgee • Ensign with staff and socket . Helmsman's seat Fiberglass fuel tank . Stainless steel and chrome hardware . Vinyl and High Pressure Laminate interior • Teak trim • Forward deck hatch · Stowage compartments in cockpit side liners . Ship's bell . Safety chain for gas cap Hull drain plug . Rope locker forward . Fuel filters • Life jackets, 2 • Fire extinguishers Bilge blower • Mufflers, 2 • Valves on all thru huli fittings.


Speeds and cruising ranges are in statute miles under ideal conditions and are not guaranteed. Specifications subject to change without notice.





## SPORT FISHERMAN

This Bertram has won world-wide acclaim as the finest sport fisherman of her size afloat. The revolutionary Bertram hull, tried and proven in racing, is in a class by itself for fishing. You get to fishing grounds faster, troll all day in greater comfort, turn on a dime and maneuver with ease when you get game on the line. Beautifully finished interiors stand up to roughest wear and meet your cruising needs with head, galley, dinette and sleeping accommodations for four. The Bertram 31 Sport Fisherman is also ideally suited for cruising. If you're ready to advance to the bigger satisfactions of big-boat fishing and cruising, this is the boat to select.



### Specifications

Length
Maximum Beam
Draft, hull
Draft, propeller
Height above waterline:
to windshield9'9"
to cockpit
Weight (approx.) Gas Power9300 lbs.
Cockpit area110 sq. ft.
Fiberglass fuel tank capacity 170 gal.
Fiberglass fresh water tank capacity 18 gal.
Sleeping Accommodations
0 :: 0 1

	Cruising	Speeds
Power	Range	to
2-225 H.P. Chrysler	226	34
2-300 H.P. Chrysler	200	36
2-325 H.P. MerCruiser	210	37
2-140 H.P. G.M. Diesel	350	27
2-170 H.P. Cummins Dies	el 320	29


### Standard Equipment


Hydraulic clutches . Stainless steel shafts Fuel gauges, electrical • Electric horn-dual trumpet . Dinette with polyfoam cushions, converts into large double berth . Galley with sink and icebox . Automatic electric bilge pump · Vapor proof master battery switches 12 volt system with 2 alternators • Batteries, 12 volt 75 ampere hours, 2 ea. (gas only); 12 volt 135 ampere hours 2 ea. (diesel only) Electrical control panel with circuit breakers Color coded electrical wiring . Marine toilet, manual • 6'4" bunks with polyfoam cushions in forward cabin . Hanging locker and stowage space in forward cabin . Interior lighting 2 lights in forward cabin and 2 lights in main cabin . International navigation lights Opening engine boxes with maximum accessibility to engines and sound insulation . Manganese bronze struts with cutless rubber bearings . Aeroquip armored hose and copper fuel lines · Manganese bronze rudders · Windshield, ventilating • Safety glass used in windshield and side windows • Thru deck chocks for docking lines, aft, 2 • Cleats, aft (2) Anchor with anchor line ½" x 150', nylon Docking lines, nylon . Burgee staff with burgee • Ensign with staff and socket • Fiberglass fuel tank . Stainless steel and chrome hardware throughout . Vinyl and High Pressure Laminates interior . Teak trim . Forward deck hatch . Stowage compartments in cockpit side liners • Ship's bell • Safety chain for gas cap · Hull drain plug · Rope locker forward • Fuel filters • Life jackets, 4 • Fire extinguishers, 2 • Bilge blowers, 2 • Mufflers, 2 . Valves on all thru hull fittings . Flybridge ladder and safety rail.

For optional equipment, refer to factory price list.

Speeds and cruising ranges are in statute miles under ideal conditions and are not guaranteed. Specifications subject to change without notice.








### FLYBRIDGE CRUISER

Take the practical advantages of the Bertram 31 Sport Fisherman and enclose the cabin. The Bertram 31 Flybridge Cruiser. You enjoy the superior visibility of the flying bridge, the spacious cockpit, and the custom sport fisherman features. And you gain the extra protection of a fully enclosed cabin providing standup head, galley, and convertible dinette as well as two berths forward. As in all Bertram 31's, you may choose from gasoline or diesel power options. Sport fisherman performance, enclosed cabin comfort—enjoy them both in the handsome Bertram 31 Flybridge Cruiser.



### Specifications

Length		30'7"
Maximum Beam		11'2"
Draft, hull		
Draft, propeller		
Height above waterline:		
to windshield		9/9"
to cockpit		11"
Weight (approx.) Gas Pow		
Cockpit area	11	0 sq. ft.
Fiberglass fuel tank capacit	y	170 gal.
Fiberglass fresh water tank	capacity .	. 18 gal.
Sleeping Accommodations		4
	Cruising	Speeds


	Cruising	Speed
Power	Range	to
2-225 H.P. Chrysler	226	34
2-300 H.P. Chrysler		36
2-325 H.P. MerCruiser		37
2-140 H.P. G.M. Diesel		27
2-170 H.P. Cummins Diese	1 320	29

### Standard Equipment

Hydraulic clutches . Stainless steel shafts Fuel gauges, electrical · Electric horn-dual trumpet · Dinette with polyfoam cushions, converts into double berth, 6'21/2" x 40" Galley with sink and icebox . Automatic electric bilge pump . Vapor proof master battery switches • 12 volt system with 2 alternators Batteries, 12 volt 75 ampere hours, 2 ea. (gas only); 12 volt 135 ampere hours, 2 ea. (140 H.P. Diesel); 12 volt 200 ampere hours, 2 ea. (170 H.P. Diesel) • Electrical control panel with circuit breakers . Color coded electrical wiring • Marine toilet, manual • 6'4" bunks with polyfoam cushions in forward cabin Hanging locker and stowage space in forward cabin . Interior lighting, 2 lights in forward cabin and 2 lights in main cabin, light in head International navigation lights . Opening engine boxes with maximum accessibility to engines and sound insulation . Manganese bronze struts with cutless rubber bearings Aeroquip armored hose and copper fuel lines Manganese bronze rudders • Windshield, ventilating . Safety glass used in windshield and side windows • Thru deck chocks for docking lines aft, 2 • Cleats, aft, 2 • Anchor with anchor line, Nylon ½" x 150' • Docking lines, nylon (2) • Burgee staff with burgee • Ensign with staff and socket . Fiberglass fuel tank Stainless steel and chrome hardware throughout . Vinyl and High Pressure Laminates interior • Teak trim • Forward deck hatch Stowage compartments in cockpit side liners Ship's bell · Safety chain for gas cap · Hull drain plug • Rope locker forward • Fuel filters Life jackets, 4 • Fire extinguishers, 2 • Bilge blowers, 2 . Mufflers, 2 . Valves on all thru hull fittings • Flybridge ladder and safety rail. For optional equipment, refer to factory price

Speeds and cruising ranges are in statute miles under ideal conditions and are not guaranteed. Specifications subject to change without notice.

Consider for your for




# EXPRESS CRUISER



Specifications

Length	30'7"
Maximum Beam	11'2"
Draft, hull	1'11"
Draft, propeller	2'8"
Height above waterline:	
To windshield	8'1"
Keel to windshield	10'
To canvas top	
Weight (approx.) Gas Power9	
Cockpit area, approx	10 sq. ft.
Fiberglass fuel tank capacity	
Fiberglass fresh water tank capacity .	. 18 gal.
Sleeping Accommodations	4
Cruising	Speeds
Power Range	to
2-225 H.P. Chrysler 210	35
	37
	38
2-140 H.P. GM Diesel 370	28
2-170 H.P. Cummins Diesel 350	30



Just a few moments' demonstration will convince you of the superb qualities of this versatile craft. She provides every comfort and safety feature for carefree family cruising, yet offers all the performance features of the famed Bertram deep-V hull. The fully enclosed cabin features private head, galley, dinette, and sleeping accommodations for four. You have exceptional visibility from the elevated control station, yet the overall silhouette is sleek and modern. This graceful, versatile fiberglass cruiser is finished in color-coordinated vinyls and richly grained laminates for maximum beauty with minimum maintenance.

### Standard Equipment

Hydraulic clutches • Stainless steel shafts Fuel gauges, electrical . Electric horn-dual trumpet . Dinette with polyfoam cushions, converts into large double berth . Galley with sink and icebox . Automatic electric bilge pump · Vapor proof master battery switches 12 volt system with 2 alternators • Batteries, 12 volt 75 ampere hours, 2 ea. (gas only); 12 volt 135 ampere hours 2 ea. (diesel only) Electrical control panel with circuit breakers Color coded electrical wiring • Marine toilet, manual • 6'4" bunks with polyfoam cushions in forward cabin . Hanging locker and stowage space in forward cabin . Interior lighting, 2 lights in forward cabin and 2 lights in main cabin, light in head . International navigation lights . Opening engine boxes w/maximum accessibility to engines and sound insulation Manganese bronze struts with cutless rubber bearings . Aeroquip armored hose and copper fuel lines . Manganese bronze rudders Windshield, ventilating . Safety glass used in windshield and side windows . Thru deck chocks for docking lines, aft, 2 . Cleats, aft 2 Anchor with anchor line, nylon 1/2" x 150' Docking lines • Burgee and staff • Ensign with staff and socket . Helmsman's seat . Fiberglass fuel tank . Stainless steel and chrome hardware throughout . Vinyl and High Pressure Laminate interior • Teak trim • Forward deck hatch . Stowage compartments in cockpit side liners • Ship's bell • Safety chain for gas cap . Hull drain plug . Rope locker forward . Fuel filters . Life jackets, 4 . Fire extinguishers, 2 • Bilge blowers, 2 • Mufflers, 2 . Valves on all thru hull fittings.

For optional equipment, refer to factory price list.

Speeds and cruising ranges are in statute miles under ideal conditions and are not guaranteed. Specifications subject to change without notice.

### HARDIOPERUSER

Enjoy all the advantages of the unique Bertram 31 hull design for a softer, drier ride, plus a cabin layout for cruising in comfort. Two berths forward plus a convertible dinette sleep four. The galley is finished in beautiful laminates and ample stowage is provided. The eye-catching lines and pleasing interior arrangement will appeal to the family, while a practical layout and generous cockpit will meet the requirements of the most seasoned skipper. You'll be proud to fly your burgee on this beautifully proportioned fiberglass yacht.


### Standard Equipment

Hydraulic clutches . Stainless steel shafts Fuel gauges, electrical • Electric horn-dual trumpet . Dinette with polyfoam cushions, converts into double berth, 6'21/2" x 40" • Galley with sink and icebox • Automatic electric bilge pump . Vapor proof master battery switches • 12 volt system with 2 alternators Batteries, 12 volt 75 ampere hours, 2 ea. (gas only); 12 volt 135 ampere hours, 2 ea. (diesel only) • Electrical control panel with circuit breakers • Color coded electrical wiring Marine toilet, manual • 6'4" bunks with polyfoam cushions in forward cabin . Hanging locker and stowage space in forward cabin Interior lighting 2 lights in forward cabin and 2 lights in main cabin • International navigation lights . Opening engine boxes with maximum accessibility to engines and sound insulation • Manganese bronze struts with cutless rubber bearing . Aeroquip armored hose and copper fuel lines . Manganese bronze rudders . Windshield, ventilating . Safety glass used in windshield and side windows Thru deck chocks for docking lines aft, 2 Cleats, aft 2 • 13 lb. anchor with anchor line ½" x 150' nylon • Docking lines, nylon (2) Burgee staff with burgee . Ensign with staff and socket . Helmsman's seat . Fiberglass fuel tank . Stainless steel and chrome hardware throughout • Vinyl and High Pressure Laminate interior • Teak trim • Forward deck hatch . Stowage compartments in cockpit side liners . Ship's bell . Safety chain for gas cap . Hull drain plug . Rope locker forward • Fuel filters • Life jackets, 4 • Fire extinguishers, 2 • Bilge blowers, 2 • Mufflers, 2 · Valves on all thru hull fittings.

For optional equipment, refer to factory price list.

Speeds and cruising ranges are in statute miles under ideal conditions and are not guaranteed. Specifications subject to change without notice.





~		•		
Sp	ecif	(ca)	no	ns

Length		30'7"	
Maximum beam		11'2"	
Draft, hull		1'103/4"	
Draft, propeller		.2'71/2"	
Height above waterline:			
Cockpit		111/2"	
Hardtop			
Weight (approx.) Gas Pow			
Cockpit area (approx.)110 sq. ft.			
Fiberglass fuel tank capacity 170 gal.			
Fresh water tank capacity 18 gal.			
Sleeping accommodations			
	Cruising		
Power	Range	to	
2-225 H.P. Chrysler	226	35	
2-300 H.P. Chrysler		37	
2-325 H.P. MerCruiser		38	
2-140 H.P. G.M. Diesel		28	
2-170 H.P. Cummins Diese		30	

### BERTRAM YACHT

Bertram Yacht | Whittaker Corp., 3663 N.W. 21st Street, Miami, Florida 33142